DEMA7RØN



The Dematron DT-1501 is 15-needle, 15-color commercial embroidery machine with large working for flats, caps and garments.

Embroidery Made Easy

The Dematron DT-1501 delivers the complete package for any business looking to embroider flats, caps garments and patches. Equipped with 10" High-Defintion True-Color touchscreen, brass tensioners, heavy duty steel stand with casters and leveling feet for mobility and stability, and a variety hoops and frames to accommodate different products.

Easy to operate and designed with functionality at it's core. The DT-1501 is networkable, USB capable and allows direct transfer from PC via ethernet port. It accepts embroidery universal languages such as DST, DSB and many more. Additionally, it is self-lubricating and features automatic color change, automatic trim, thread break detection, Japanese hook, emergency stop button, and narrow sewing arms allows for enhanced embroidery on caps and smaller items.

Flexible financing options available. Additionally, Dematron offers a 1-Year Warranty and US based support.









Head	Max Sewing Speed	Needles	Color	Display
Single-head	1,400 RPM	15	15	10" LCD Touchscreen

Working Area	Color Change	Trim	Input	Pattern Format
360 mm x 510 mm (14.2"x 20.1")	Automatic	Automatic	USB Capability	DST, DSB format + Universal Language Formats

Function	Tensioner	Frame	Hoops and Frames	2 x 18 cm Shirt Front Hoops (5.9")
Embroidery on flats, caps and garments	Brass	Steel	2x 12 cm Shirt Front Hoops (3.5") 2 x 15 cm Shirt Front Hoops (4.7")	2 x 29 cm Jacket Back Hoops (11.4" x 11.4") 1x Border Frame 1 x 42 cm * 30 cm Flat Jacket Hoop Kit with Table (16.5" x 11.8")

Equipment Requirements



What To Expect

Unit ships in wooden crate disassebled (embroidery head and heavy duty steel stand) for equipment's safety. Once assembeld, unit will be sew ready.

DEMATRON OFFERS DELIVERY, INSTALLATION AND TRAINING PACKAGES BASED ON CLIENT'S SPECIFIC NEEDS.

FOOTPRINT

 Length
 Width
 Height

 812 mm (32")
 812 mm (32")
 1372 mm (54")

ELECTRICAL

Power Supply Frequency 110V 50/60 hz

SHIPPING DETAILS

 Pack Method
 Class
 NMFC
 Net/Gross Wt.

 Wooden Crate
 150
 129750.02
 250 kg/300 kg (550 lb/660 lb}





201 W. Smith St. Cleburn, Texas 76033 1-888-492-5553 (214) 943-6683 info@dematron.com demasewingautomation.com