

DEMATRON




The Dematron DM-430S is upgraded with Direct-Drive Motor and 7" touchscreen to deliver added flexibility and versatility.

Sewing Made Easy

The Dematron DM-430S delivers the complete package for any business looking to sew bar tacks, box x programs and patterns within 40 mm x 30 mm area. Dematron's latest models premier a 7" touchscreen with on-board programming, Direct-Drive motor, Japanese components, new thread cutting design, improved presser foot lifting system, digital height adjustment and heavy duty stand with casters.

Easy to operate and designed with functionality at it's core. The DM-430S is networkable, USB capable and equipped with on-board programming to edit and create programs efficiently. Additionally, it is self-lubricating and features improved automatic thread cutter to effectively prevent bird's nest, oil-free needle bar, new presser foot lifting mechanism, thread break detection, Japanese hook, and direct-drive motor reduces power consumption by 35%.

Flexible financing options available. Additionally, Dematron offers a 2-Year Warranty and US based support.



Sew Area

40 mm x 30 mm
(1.57"x 1.18")

Max Sewing Speed

3,200 RPM

Needles

1

Motor

Direct-Drive

Display

7" Touchscreen

Feeding Method

Intermittent Feeding

Stitch Length

0.1 -12.7 mm

Height Adjustment

Digital

Input

On-board Programming

Pattern Format

.sew

Presser Foot Stroke

Max 17 mm

Hook

Heavy Duty
Shuttle Hook (B)

Included Programs

89

Tooling:

Includes 3/4" Horizontal Bar Tack Clamp

Optional:

1/2" Box "X" Clamp

3/4" Box "X" Clamp

1" Vertical Bar Tack Clamp

40 x 30 mm Full Area

Equipment Requirements



What To Expect

Unit ships assembled and sew ready on a standard pallet (48" x 40" x 60") enclosed in heavy duty box for equipment's safety. Casters to be installed upon arrival.

DEMATRON DM-430 INCLUDES 2 YEAR MANUFACTURER WARRANTY ON NON-CONSUMABLE PARTS AND ELECTRONICS.

FOOTPRINT

Length

1219 mm (48")

Width

737 mm (29")

Height

1219 mm (48")

ELECTRICAL

Power Supply

110V

SHIPPING DETAILS

Pack Method

Enclosed Pallet

Class

150

NMFC

129750.02

Net/Gross Wt.

60 kg/80 kg
(122 lb/177 lb)



DEMATRON

201 W. Smith St.
Cleburn, Texas 76033

1-888-492-5553
(214) 943-6683
info@dematron.com
demasewingautomation.com